



## PATENT ABSTRACTS OF JAPAN

(11) Publication number: **05117268 A**(43) Date of publication of application: **14.05.93**

(51) Int. Cl.

**C07D401/12**  
**A61K 31/44**  
**A61K 31/47**  
**C07D401/14**  
**/(C07D401/12 , C07D213:00 ,**  
**C07D235:00 ), (C07D401/14 , C07D213:00**  
**, C07D217:00 , C07D235:00 )**

(21) Application number: **03304219**(22) Date of filing: **22.10.91**(71) Applicant: **YOSHITOMI PHARMACEUT IND LTD**

(72) Inventor: **KAWAKITA TAKESHI**  
**YAMAGUCHI HIROKO**  
**HAGA KEIICHIRO**  
**IKEDA TAKASHI**  
**YOKOYAMA YOSHIHITO**

## (54) PYRIDINE COMPOUND

(57) Abstract:

PURPOSE: To obtain a new compound useful as a during for antiulcer action, gastrointestinal cell protecting action, action for preventing recrudescence and palindromia of ulcer, antimicrobial action against *Helicobacter pylori*.

CONSTITUTION: A compound of formula I [ $R^1$  is H, halogen, alkyl, alkoxy, alkoxy carbonyl or haloalkyl; (n) is 0-2;  $R^2$  and  $R^3$  are H, halogen or alkyl; X is alkylene; L is formula II ( $R^4$  and  $R^5$  are alkyl, cycloalkyl, etc.; X-L is formula III [(m) is 1-3;  $R^6$  is phenylalkyl; Y is H, halogen, alkyl, etc.)], e.g. 2-[3-methyl-4-(2-(N-benzyl-N-cyclohexylamino)ethoxy)pyridyl]-methylthio-1H-benzimidazole. The compound is obtained by reacting a compound of formula IV with a compound of formula V (Z is halogen, sulfonyloxy, etc.) and oxidizing the resultant compound of formula VI.

COPYRIGHT: (C)1993,JPO&amp;Japio

